



CEILING
LIGHTING
AMBIENCE



LUMEO®-R

D LUMEO®-R, der elegante Klassiker unter den Lichtflächen, setzt Architektur gekonnt in Szene. In unterschiedlichen Größen verfügbar, ist die als Einbau-, Anbau- oder Pendelvariante verfügbare Leuchte ein Allround-Talent.

E LUMEO®-R, the elegant classic among the illuminated surfaces, skilfully showcases the architecture. The luminaire, which is an all-round talent, is available as mounted, recessed or pendant options and comes in different sizes.


F LUMEO®-R, le luminaire classique au design élégant, a le don de mettre en scène l'architecture. Disponible dans diverses tailles et en versions à encastrer, en applique ou suspendue, ce luminaire est véritablement polyvalent.




Vienna University of Economics
and Business [AT]
Foto: Stefan Zenzmaier



DUROSATIN®



MICROPRISMATIC



D Das klare, runde Design der LUMEO®-R integriert sich mühelos in diverse Architekturstile. Dank ihrer niedrigen Aufbauhöhe wirkt sie zu jeder Zeit leicht und dennoch ausdrucksstark. Die großflächige Leuchte besticht nicht nur mit ihrer Optik: durch ihren effizienten Leuchteneinsatz ist sie energetisch äußerst fortschrittlich. Ihre homogene Ausleuchtung setzt Räume immer in das richtige Licht. Auf Wunsch kann die DUROSATIN® Oberfläche Motiv-bedruckt werden.

E The clear, round design of LUMEO®-R blends effortlessly into various architectural styles. Thanks to its low installation height, it appears light and yet expressive at all times. The large-size luminaire stands out not only because of its look, but it is energetically also extremely advanced due to its LED insert. Its homogenous illumination always casts rooms in the right light. Upon request, the DUROSATIN® surface can be printed with motifs.

F Le design clair et rond du LUMEO®-R s'intègre sans problème dans divers styles architecturaux. Grâce à sa faible hauteur de montage, il donne à tout moment l'impression d'être léger et expressif à la fois. Le luminaire à large surface ne séduit pas que par son design : grâce à son insert LED, il permet d'énormes progrès en matière d'efficacité énergétique. Son éclairage homogène permet aux pièces de bénéficier en permanence d'une lumière idéale. Sur demande, la surface en DUROSATIN® peut être pourvue d'une impression de motifs.



Finish

- Aluminium anodized
- Other colours: on request



230V/50Hz



Efficiency - 104lm/W




Dimmable DALI





Driver inside



5-pin terminal block
for 230V and DALI



IP20



CRI > 80

Not dimmable: on request

Attention:



Installation kit > see the next page

LED

DALI

Ø 594 mm · 3000K · 72W · 10120lm · DUROSATIN®	N°: LUM-R0600 314 7 300
Ø 594 mm · 4000K · 72W · 10600lm · DUROSATIN®	N°: LUM-R0600 414 7 300
Ø 594 mm · 3000K · 72W · 10120lm · MICROPRISMATIC	N°: LUM-R0600 324 7 300
Ø 594 mm · 4000K · 72W · 10600lm · MICROPRISMATIC	N°: LUM-R0600 424 7 300
Ø 894 mm · 3000K · 152W · 19200lm · DUROSATIN®	N°: LUM-R0900 314 7 300
Ø 894 mm · 4000K · 152W · 20120lm · DUROSATIN®	N°: LUM-R0900 414 7 300
Ø 894 mm · 3000K · 152W · 19200lm · MICROPRISMATIC	N°: LUM-R0900 324 7 300
Ø 894 mm · 4000K · 152W · 20120lm · MICROPRISMATIC	N°: LUM-R0900 424 7 300
Ø 1194 mm · 3000K · 198W · 28480lm · DUROSATIN®	N°: LUM-R1200 314 7 300
Ø 1194 mm · 4000K · 198W · 29840lm · DUROSATIN®	N°: LUM-R1200 414 7 300



LUMEO®-R > ACCESSORIES



Installation kit for flush mounting or semi-recessed mounting in gypsum ceiling.
The kit has to be installed and painted together with the gypsum ceiling.

- N°: 15-LUM-R0600-R01
- N°: 15-LUM-R0900-R01
- N°: 15-LUM-R1200-R01



- Plaster mould, bracket, case cover 750x750mm > LUM-R0600
- Plaster mould, bracket, case cover 1 050x1 050mm > LUM-R0900
- Plaster mould, bracket, case cover 1 350x1 350mm > LUM-R1200



Installation kit for flush mounting or semi-recessed mounting in gypsum ceiling.
The kit has to be installed and painted together with the gypsum ceiling.

- N°: 15-LUM-R0600-R02
- N°: 15-LUM-R0900-R02
- N°: 15-LUM-R1200-R02


- Plaster mould, bracket, case cover 950x950mm > LUM-R0600
- Plaster mould, bracket, case cover 1 250x1 250mm > LUM-R0900
- Plaster mould, bracket, case cover 1 550x1 550mm > LUM-R1200



Installation kit for surface mounting

- N°: 15-LUM-R-S02

> LUM-R0600, LUM-R0900, LUM-R1200



Suspension wire set for pendant installation

N°: 15-LUM-R0600-P02	3 wires (1000mm), 3 upper parts, 3 lower parts, case cover	> LUM-R0600
N°: 15-LUM-R0900-P02	3 wires (1000mm), 3 upper parts, 3 lower parts, case cover	> LUM-R0900
N°: 15-LUM-R1200-P02	3 wires (1000mm), 3 upper parts, 3 lower parts, case cover	> LUM-R1200